L Number	Hits		DB	Time stamp
-	3480	709/238	USPAT;	2004/10/18 10:49
			US-PGPUB	0004/10/10 10 ==
-	2569	709/238 and (host\$1 or server\$1)	USPAT;	2004/10/18 10:50
	2560	(709/238 and (host\$1 or server\$1)) and	US-PGPUB USPAT;	2004/10/18 10:52
-	2500	((router or router\$1) and deliver or	US-PGPUB	2004/10/10 10:52
		transmit or transfer near\$3 message\$1 or	55 15105	
1		signal\$1 or data)		
-	1380	(709/238 and (host\$1 or server\$1)) and	USPAT;	2004/10/18 10:52
		(router or router\$1)	US-PGPUB	0004/10/10 10 1
-	841	((709/238 and (host\$1 or server\$1)) and	USPAT; US-PGPUB	2004/10/18 10:55
1		(router or router\$1)) and (processor\$1 or multi-processors) and (control near\$3	US-FGFUB	
		processor\$1)		
_	492	(((709/238 and (host\$1 or server\$1)) and	USPAT;	2004/10/18 10:55
		(router or router\$1)) and (processor\$1 or	US-PGPUB	
		multi-processors) and (control near\$3		
		processor\$1)) and (code\$1 or flag\$1) and		
_	491	@ad<20010525 ((((709/238 and (host\$1 or server\$1)) and	USPAT;	2004/10/18 13:37
	4,71	(router or router\$1)) and (processor\$1 or	US-PGPUB	2001, 10, 10 13.37
		multi-processors) and (control near\$3		
		processor\$1)) and (code\$1 or flag\$1) and		
		@ad<20010525) and (host near\$5 command\$1		
	103	or message\$1 or data) (709/238) and (host\$1 or server\$1) and	USPAT;	2004/10/18 13:38
	103	(router or router\$1) and (multiplexer)	US-PGPUB	2004,10,10 13.30
-	79	((709/238) and (host\$1 or server\$1) and	USPAT;	2004/10/18 13:39
		(router or router\$1) and (multiplexer))	US-PGPUB	
	1700	and @ad<20010525	TIODAM.	2004/10/00 15 01
-	1708	(709/238) and (router\$1 or router) and (data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/20 15:31
		dimension)	03-10100	
-	1679	((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 15:37
		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension)) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525)		
_	854	@ad<20010525) ((709/238) and (router\$1 or router) and	USPAT;	2004/10/20 16:21
		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension)) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
_	0.41	@ad<20010525) and (switch)	HCDAT.	2004/10/20 15:38
-	841	(((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/20 13:38
		dimension)) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
	_	@ad<20010525) and (switch)) and (memory		
	0.41	near\$2 field near\$2 width)	HCDAM.	2004/10/20 15:38
-	841	(((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/20 15:38
		dimension)) and ((width near\$3 field or	55 10105	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch)) and (memory		
	044	near\$2 field)	HODAM.	2004/10/20 15:39
-	844	(((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/20 15:39
		dimension) and ((width near\$3 field or	35 15105	1
	•	field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch)) and (memory		
	C00	near\$2 field or size)	HCDAM.	2004/10/20 15:39
-	689	((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or	USPAT; US-PGPUB	2004/10/20 15:39
	*	dimension)) and ((width near\$3 field or	55 15105	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch)) and (memory		
		near\$2 field or size)) and (width near\$2		
	L	configuration\$1)	L	

-	415	((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525) and (switch)) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)	USPAT; US-PGPUB	2004/10/20 15:43
-	310	(((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20010525) and (switch)) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and	USPAT; US-PGPUB	2004/10/21 09:46
-	670	(processor\$1 or processor) ((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3)) and @ad<20010525 and (switch)	USPAT; US-PGPUB	2004/10/20 16:22
-	311	((((((709/238) and (router\$1 or router) and ((data near\$1 path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20012505) and (switch)) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and (processor\$1 or processor)	USPAT; US-PGPUB	2004/10/21 14:24
-	56258	((709/238) and (router\$1 or router) and (data path near\$3 width or size or dimension) and (width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and (@ad<20012505) and (switch) and (memory near\$2 field or size) and (width near\$2 configuration\$1) and (debug or error or error\$1 or error near\$1 correction) and (processor\$1 or processor))	USPAT; US-PGPUB	2004/10/21 09:45
-	310	((((((709/238) and (router\$1 or router) and ((data path) near\$3 size or dimension)) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and (@ad<20010525) and (switch)) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and (processor\$1 or processor)	USPAT; US-PGPUB	2004/10/21 14:18
-	241	((((((709/238) and (router\$1 or router) and ((data WITH path WITH size or dimension) near\$3 size or dimension) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and (@ad<20010525) and (switch) and (memory near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or error\$1 or error near\$1 correction)) and	USPAT; US-PGPUB	2004/10/21 09:55
-	37	(processor\$1 or processor)	USPAT; US-PGPUB	2004/10/21 10:21

-	37	((((((709/238) and (router\$1 or router)	USPAT;	2004/10/21 13:50
		and ((data WITH path WITH size or dimension))) and ((width near\$3 field or	US-PGPUB	
		field\$1) or (size\$1 near\$3 address\$3) and		
		@ad<20012505) and (switch)) and (memory		,
		near\$2 field or size)) and (width near\$2		
		configuration\$1)) and (debug or error or		
·		error\$1 or error near\$1 correction)) and (processor\$1 or processor)		
l <u>-</u>	4	((((((711/171) and (router\$1 or router)	USPAT;	2004/10/21 13:53
	1	and ((data WITH path WITH size or	US-PGPUB	2001, 20, 22 20100
		dimension)) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		<pre>@ad<20012505) and (switch)) and (memory near\$2 field or size)) and (width near\$2</pre>		
		configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction)) and		
		(processor\$1 or processor)		
-	975	711/171	USPAT;	2004/10/21 13:53
_	909	711/171 and @ad<20012505	US-PGPUB USPAT;	2004/10/21 13:55
_	909	7117171 and ead 20012303	US-PGPUB	2004/10/21 13.33
-	849	(711/171 and @ad<20012505) and (command\$1	USPAT;	2004/10/21 14:02
		or command WITH word size or word length)	US-PGPUB	0001155155
-	657	((711/171 and @ad<20012505) and	USPAT; US-PGPUB	2004/10/21 14:00
		<pre>(command\$1 or command WITH word size or word length)) and (width near\$2 processor)</pre>	US-FGFUB	
-	833	((711/171 and @ad<20012505) and	USPAT;	2004/10/21 14:00
1		(command\$1 or command WITH word size or	US-PGPUB	
		word length)) and (data path same size or		
		width) and (processor near\$2 size or width		
_	844	or length) ((711/171 and @ad<20012505) and	USPAT;	2004/10/21 14:01
	044	(command\$1 or command WITH word size or	US-PGPUB	2001, 10, 21 11.01
		word length)) and (data path same size or		
,		width)	1	
-	654	((711/171 and @ad<20012505) and	USPAT; US-PGPUB	2004/10/21 14:01
2		(command\$1 or command WITH word size or word length)) and (data same size or	US-PGPUB	
		width)		
-	862	(711/171 and @ad<20012505) and (command\$1	USPAT;	2004/10/21 14:02
		or command or message or message\$1 WITH	US-PGPUB	
	310	word size or word length) ((((((709/238) and (router\$1 or router)	USPAT;	2004/10/25 11:06
-	310	and ((data path) near\$3 size or dimension)	US-PGPUB	2004/10/25 11.00
) and ((width near\$3 field or field\$1) or		
		(size\$1 near\$3 address\$3) and		
		@ad<20010525) and (switch)) and (memory		
		near\$2 field or size)) and (width near\$2 configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction))and		
		(processor\$1 or processor)		
-	311	((((((709/238) and (router\$1 or router)	USPAT;	2004/10/21 14:20
		and ((data path) near\$3 size or dimension)	US-PGPUB	
) and ((width near\$3 field or field\$1) or (size\$1 near\$3 address\$3) and @ad<20012505		
\) and (switch)) and (memory near\$2 field		
		or size)) and (width near\$2		
]		configuration(1)) and (debug or error or		
		error\$1 or error near\$1 correction))and (processor\$1 or processor)		
_	518	(((((709/238) and (router\$1 or router) and	USPAT;	2004/10/21 14:28
	1	((data near\$1 path) near\$3 size or	US-PGPUB	
] [dimension)) and ((width near\$3 field or		
		field\$1) or (size\$1 near\$3 address\$3) and		
		<pre>@ad<20012505 and (switch)) and (memory near\$2 field or size)) and (width near\$2</pre>		
		configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction)) and		
		(processor\$1 or processor)	<u> </u>	<u> </u>

-	518	(((())))	USPAT;	2004/10/21 14:28
i		((data near\$1 path) near\$3 size or	US-PGPUB	
		dimension)) and ((width near\$3 field or		
	i	field\$1) or (size\$1 near\$3 address\$3) and		
		(switch)) and (memory near\$2 field or		
		size)) and (width near\$2 configuration\$1))		
		and (debug or error or error\$1 or error		
Ì	i	near\$1 correction)) and (processor\$1 or	i	
	392	processor)	IIGDAM.	2004/10/22 14:30
-	392		USPAT;	2004/10/22 14:30
		and ((data near\$1 path) near\$3 size or dimension)) and ((width near\$3 field or	US-PGPUB	
		field\$1) or (size\$1 near\$3 address\$3) and	1	
		(switch)) and (memory near\$2 field or		
		size)) and (width near\$2 configuration\$1))		
		and (debug or error or error\$1 or error		
		near\$1 correction)) and (processor\$1 or	ļ	
		processor)) and @ad<20010525		
1_	14	"6385647"	USPAT;	2004/10/22 14:30
	1	0303047	US-PGPUB	2004/10/22 14.50
_	0	"6385647.pn"	USPAT;	2004/10/22 14:30
		00000171p11	US-PGPUB	2001, 10, 22 21100
_	1	("6385647").PN.	USPAT	2004/10/22 15:02
_	1		USPAT	2004/10/22 15:14
-	1		USPAT	2004/10/22 15:14
-	311	((((((709/238) and (router\$1 or router)	USPAT;	2004/10/25 11:07
		and ((data path) near\$3 size or dimension)	US-PGPUB	
) and ((width near\$3 field or field\$1) or		
		(size\$1 near\$3 address\$3) and		
i		@ad<20012505) and (switch)) and (memory		
		near\$2 field or size)) and (width near\$2	•	
		configuration\$1)) and (debug or error or		
		error\$1 or error near\$1 correction))and		
		(processor\$1 or processor)		
-	138	(((((((709/238) and (router\$1 or router)	USPAT;	2004/10/25 11:07
		and ((data path) near\$3 size or dimension)	US-PGPUB	
) and ((width near\$3 field or field\$1) or		
		(size\$1 near\$3 address\$3) and		
		@ad<20012505) and (switch)) and (memory		
1		near\$2 field or size)) and (width near\$2		
		configuration\$1)) and (debug or error or		,
		error\$1 or error near\$1 correction))and		
		(processor\$1 or processor)) and		
		(synchronize or synchroni\$5 or		
1	1	synchronization)	l	l